United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/763,404	01/22/2004	Gianni Borghi	U 015004-1	4536
7590 08/14/2006		EXAMINER		
Clifford J. Mass			JOHNSON, VICKY A	
Ladas & Parry 26 West 61 Stre	et		ART UNIT	PAPER NUMBER
New York, NY 10023			3682	
			DATE MAILED: 08/14/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	
Office Action Summary		10/763,404	BORGHI, GIANNI	
		Examiner	Art Unit	
		Vicky A. Johnson	3682	
Period fo	- The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	correspondence address	
A SHO WHIC - Exter after - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES as ions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from 1. cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).	
Status				
2a)□	Responsive to communication(s) filed on This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under <i>E</i>	action is non-final. nce except for formal matters, pro		
Dispositi	on of Claims			
5)□ 6)⊠ 7)□	Claim(s) 1-12 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav Claim(s) is/are allowed. Claim(s) 1-12 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.		
Applicati	on Papers			
10)⊠ `	The specification is objected to by the Examiner The drawing(s) filed on 22 January 2004 is/are: Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Example 1.	a) accepted or b) ⊠ objected drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ijected to. See 37 CFR 1.121(d).	
Priority u	nder 35 U.S.C. § 119			
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau ee the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	ion No ed in this National Stage	
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:		

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the reaction disk integral with the input shaft and the radial pin integral with the sleeve must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "31" has been used to designate both spring, support, and stop ring. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 4. The drawings are objected to because in Fig. 2 reference character "31" lead line does not point to the spring; "34" lead line points to the thrust ring and "33" lead line points to the spring, they should be reversed; Fig. 1 shows the clutch on the left side of the flywheel and Fig. 2 shows the clutch on the right side; the drive assembly is shown on the left side of the flywheel in Fig. 1 and on the right side in Fig. 2. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an

amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

5. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

6. The abstract of the disclosure is objected to because the abstract exceeds 150 words. Correction is required. See MPEP 608.01(b).

Application/Control Number: 10/763,404

Art Unit: 3682

7. The disclosure is objected to because of the following informalities: The references to the claims should be removed as they may change during prosecution. Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 8. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 9. Claims 1-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, it is unclear how to interpret "idle with respect to the input shaft".

In claim 2, it is unclear how to interpret "axially free manner" and "angularly free manner".

In claim 10, it is unclear what "vice versa" is referring to.

Claim Rejections - 35 USC § 102

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 11. Claims 1-4, 8, 9, and 12 are rejected under 35 U.S.C. 102(b) as being anticipated by Gambini (EP 0898096).

Gambini discloses an automatic, mechanical, continuously variable transmission comprising an input shaft (7); a flywheel (9) integral with the input shaft; a drive

Page 5

assembly having a drive pulley defined by a first half-pulley (3) and a second half-pulley (4) which define a groove of variable width for a V belt (2); friction clutch means (8, 9A) interposed axially between said first half-pulley (3) and said flywheel (9); a centrifugal actuating assembly (17) comprising a centrifugal actuating device (21/23) controlling said clutch means (8, 9A) and for setting said clutch means to a torque-transmission condition in response to an angular speed value of said input shaft greater than a first threshold value, so as to connect said drive pulley angularly to said flywheel (9), and a speed regulating device (22) for moving said second half-pulley (4) axially with respect to said first half-pulley (3) to adjust the width of the groove of the drive pulley in response to variations in the speed of said input shaft, and push means (23)(It is inherent that the speed of the shaft includes a first value to connect the pulley of the flywheel and a second value where the speed adjusting means would be active that is higher than the first value).

Re claim 2, said drive assembly comprises a sleeve (6) fitted to said input shaft (7) in axially free manner and in angularly free manner at least in one relative rotation direction; said first half-pulley (3) being fixed with respect to said sleeve (6); and the second half-pulley (4) being fitted in sliding manner to said sleeve (6).

Re claim 3, said clutch means (8, 9A) comprise a friction disk (8) interposed axially between said first half-pulley (4) and said flywheel (9).

Re claim 4, said actuating device (21/23) comprises a number of auxiliary weights (22) rotating integrally with said input shaft (7); said push means (23) being

interposed between said auxiliary weights (22) and said sleeve (6) to move said first half-pulley (3) towards said flywheel (9) and to grip said friction disk (8) between said flywheel (9) and said first half-pulley (3).

Re claim 8, comprising a torque-sensitive compensating device (3,12) acting between said half-pulleys (3,4).

Re claim 9, said second half-pulley (4) is fitted to said sleeve (6) to slide within limits defined by said compensating device (3,12).

Re claim 12, comprising a free wheel (15) interposed between said input shaft (7) and said sleeve (6).

Double Patenting

12. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number: 10/763,404

Art Unit: 3682

13. Claims 1-12 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-8 of copending Application No. 10/691160. Although the conflicting claims are not identical, they are not patentably distinct from each other because they are obvious variants in the breath and scope of the claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

5,458,539	Landry	(weights)
3,830,112	Ward	(flywheel)
5,328,413	Robert	(pin)
5,052,981	Robert	(weights)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vicky A. Johnson whose telephone number is (571) 272-7106. The examiner can normally be reached on Monday-Friday (7:00a-3:30p).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on (571) 272-6217. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/763,404

Art Unit: 3682

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Vicky A. Johnson Primary Examiner

Art Unit 3682